SAFETY DATA SHEET NUTMEG OIL INDONESIAN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product name	NUTMEG OIL INDONESIAN
Product number	30436
CAS number	84082-68-8
EC number	282-013-3
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Concentrated material for manufacturing purposes only.
1.3. Details of the supplier of t	he safety data sheet
Supplier	Ancient Wisdom Marketing Ltd Block B, Parkwood Business Park 75 Parkwood Road Sheffield South Yorkshire S3 8AL +44 (0) 114 2729165 +44 (0) 114 2706571
1.4. Emergency telephone nur Emergency telephone	<u>nber</u> +44 (0) 114 272 9165
SECTION 2: Hazards identific	ation
2.1. Classification of the subst	ance or mixture
Physical hazards	Flam. Liq. 3 - H226
Health hazards	Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 1B - H350 Asp. Tox. 1 - H304
Environmental hazards	Aquatic Chronic 2 - H411
Classification (67/548/EEC or 1999/45/EC)	Xn; R65. Xi; R38. Carc. Cat. 2 R45. Muta. Cat. 3 R68. N; R51/53. R10, R43
2.2. Label elements	
EC number	282-013-3



Signal word	Danger
Hazard statements	 H411 Toxic to aquatic life with long lasting effects. H350 May cause cancer. H304 May be fatal if swallowed and enters airways. H341 Suspected of causing genetic defects. H317 May cause an allergic skin reaction. H226 Flammable liquid and vapour. H315 Causes skin irritation.
Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P501 Dispose of contents/container in accordance with national regulations.
Contains	PIN-2(3)-ENE (ALPHA-PINENES), LIMONENE, p-MENTHA-1,4-DIENE (GAMMA- TERPINENE), p-MENTHA-1,3-DIENE (ALPHA-TERPINENE), MYRCENE, p-MENTHA- 1,4(8)-DIENE (TERPINOLENE), EUCALYPTOL, 5-ALLYL-1,3-BENZODIOXOLE (SAFROLE), ALPHA-PHELLANDRENE, p-CYMENE, 3,7,7-TRIMETHYLBICYCLO[4.1.0]-3- HEPTENE (3-CARENE), EUGENOL
Supplementary precautionary statements	 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour/spray. P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P302+P352 IF ON SKIN: Wash with plenty of water. P308+P313 IF exposed or concerned: Get medical advice/attention. P331 Do NOT induce vomiting. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

2.3. Other hazards

SECTION 3: Composition/information on ingredients			
3.2. Mixtures			
PIN-2(3)-ENE (ALPHA-PINENES)		30-60%	
CAS number: 80-56-8	EC number: 201-291-9		
Classification Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304	Classification (67/548/EEC o Xn; R65. Xi; R38. R43	or 1999/45/EC)	
LIMONENE		5-10%	
CAS number: 138-86-3	EC number: 205-341-0		
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC o Xn; R65. Xi; R38. N; R50/53	•	
p-MENTHA-1,4-DIENE (GAMMA-TER	p-MENTHA-1,4-DIENE (GAMMA-TERPINENE) 1-59		
CAS number: 99-85-4	EC number: 202-794-6		
Classification Flam. Liq. 3 - H226 Asp. Tox. 1 - H304	Classification (67/548/EEC o Xn; R65. R10	or 1999/45/EC)	
4-TERPINEOL		1-5%	
CAS number: 562-74-3	EC number: 209-235-5		
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC o Xn; R22. Xi; R36/38	or 1999/45/EC)	
p-MENTHA-1,3-DIENE (ALPHA-TERPINENE) 1-5%			
CAS number: 99-86-5	EC number: 202-795-1		
Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411	Classification (67/548/EEC o Xn; R65, R22. N; R51/53. R	-	

5-ALLYL-1,3-BENZODIOXOLE (SAFI	ROLE)		1-5%
CAS number: 94-59-7	EC number: 202-345-4	i i i i i i i i i i i i i i i i i i i	
Classification Acute Tox. 4 - H302 Muta. 2 - H341 Carc. 1B - H350		lassification (67/548/EEC or 1999/45/EC) n; R22. Carc. Cat. 2 R45. Muta. Cat. 3 R68	
EUCALYPTOL			1-5%
CAS number: 470-82-6	EC number: 207-431-5	5	
Classification Flam. Liq. 3 - H226 Skin Sens. 1B - H317		lassification (67/548/EEC or 1999/45/EC) 43, R10	
p-MENTHA-1,4(8)-DIENE (TERPINOLENE)		1-5%	
CAS number: 586-62-9 M factor (Chronic) = 1	EC number: 209-578-0)	
Classification Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 1 - H410		lassification (67/548/EEC or 1999/45/EC) n; R65. N; R50/53. R43	
MYRCENE			1-5%
CAS number: 123-35-3	EC number: 204-622-5	5	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304		lassification (67/548/EEC or 1999/45/EC) n; R65. Xi; R36/38. R10	
ALPHA-PHELLANDRENE			1-5%
CAS number: 99-83-2	EC number: 202-792-5	5	
Classification Flam. Liq. 3 - H226 Asp. Tox. 1 - H304		lassification (67/548/EEC or 1999/45/EC) n; R65. R10	

3,7,7-TRIMETHYLBICYCLO[4.1.0 CARENE)	D]-3-HEPTENE (3-	1-5%
CAS number: 13466-78-9	EC number: 236-719-3	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411	Classification (67/548/EEC or 1999/45/EC) Xn; R65. N; R51/53. R43, R10	
p-CYMENE		1-5%
CAS number: 99-87-6	EC number: 202-796-7	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411	Classification (67/548/EEC or 1999/45/EC) Xn; R65. N; R51/53. R10	
1,2-DIMETHOXY-4-(2-PROPENY EUGENOL)	L)-BENZENE (METHYL	<1%
CAS number: 93-15-2	EC number: 202-223-0	
Classification Acute Tox. 4 - H302 Muta. 2 - H341 Carc. 2 - H351	Classification (67/548/EEC or 1999/45/EC) Xn; R22. Carc. Cat. 3 R40. Muta. Cat. 3 R68	
EUGENOL		<1%
CAS number: 97-53-0	EC number: 202-589-1	
Classification Eye Irrit. 2 - H319 Skin Sens. 1B - H317	Classification (67/548/EEC or 1999/45/EC) Xi; R36. R43	
CAMPHENE		<1%
CAS number: 79-92-5 M factor (Acute) = 1	EC number: 201-234-8	
Classification Flam. Liq. 3 - H226 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R36. N; R50, R51/53. R10	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures			
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.		
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.		
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.		
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.		
4.2. Most important symptoms	and effects, both acute and delayed		
General information	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.		
4.3. Indication of any immedia	te medical attention and special treatment needed		
Notes for the doctor	No specific recommendations.		
SECTION 5: Firefighting meas	ures		
5.1. Extinguishing media			
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder.		
Unsuitable extinguishing media	Water.		
5.2. Special hazards arising fro	om the substance or mixture		
Specific hazards	Toxic gases or vapours.		
5.3. Advice for firefighters			
Protective actions during firefighting	Containers close to fire should be removed or cooled with water.		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.		
SECTION 6: Accidental release	e measures		
6.1. Personal precautions, pro	tective equipment and emergency procedures		
Personal precautions	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.		
6.2. Environmental precaution	<u>S</u>		
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.		
6.3. Methods and material for	containment and cleaning up		
Methods for cleaning up	Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.		

6.4. Reference to other sections

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Usage precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.	
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.	
7.2 Specific and use(a)		

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate ventilation.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.	
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.	
Hygiene measures	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.	
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.	
Environmental exposure controls	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.	
SECTION 9: Physical and Chemical Properties		

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Pale Yellow. to Yellow. Brown.
Odour	Characteristic.
Flash point	38°C
Relative density	~ 0.885 @ 20°C

9.2. Other information		
Refractive index	~ 1.480 (@ 20°C
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
10.2. Chemical stability		
Stability	Stable at	normal ambient temperatures.
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Will not p	polymerise.
10.4. Conditions to avoid		
Conditions to avoid	Avoid he	at, flames and other sources of ignition.
10.5. Incompatible materials		
Materials to avoid	Strong or	xidising agents. Strong acids. Strong alkalis.
10.6. Hazardous decompositio	on products	5
Hazardous decomposition products	Thermal vapours.	decomposition or combustion may liberate carbon oxides and other toxic gases or
SECTION 11: Toxicological in	formation	
11.1. Information on toxicologi	cal effects	
Acute toxicity - oral		
ATE oral (mg/kg)	16,982.8	9
Ingestion	May be f	atal if swallowed and enters airways.
Skin contact	May cau	se an allergic skin reaction.
Acute and chronic health hazards	Suspecte	ed of causing genetic defects. May cause cancer.
Toxicological information on ir	ngredients.	
		4-TERPINEOL
Acute toxicity - o	ral	
Acute toxicity ora mg/kg)	al (LD₅o	1,300.0
Species		Rat
ATE oral (mg/kg))	1,300.0
Acute toxicity - d	ermal	
Acute toxicity de mg/kg)	rmal (LD₅₀	2,500.0
Species		Rabbit
ATE dermal (mg	/kg)	2,500.0

5-ALLYL-1,3-BENZODIOXOLE (SAFROLE)

	Acute toxicity - oral	
	Acute toxicity oral (L mg/kg)	L D 50 1,950.0
	Species	Rat
	ATE oral (mg/kg)	1,950.0
SECTION 1	2: Ecological Informa	tion
Ecotoxicity	V	/ery toxic to aquatic life with long lasting effects.
12.1. Toxici	ty	
	nformation on ingredi	ents.
		LIMONENE
	Acute aquatic toxicit	ty
	LE(C)50	$0.1 \le L(E)C50 \le 1$
	M factor (Acute)	1
	Chronic aquatic toxi	icity
	M factor (Chronic)	1
		p-MENTHA-1,4(8)-DIENE (TERPINOLENE)
	Chronic aquatic toxi	icity
	M factor (Chronic)	1
12.2. Persis	stence and degradabil	lity
Persistence	and degradability \top	he product is expected to be biodegradable.
12.3. Bioac	cumulative potential	
Bioaccumul	ative potential T	he product does not contain any substances expected to be bioaccumulating.
12.4. Mobili	ty in soil	
Mobility	Т	he product is insoluble in water.
12.5. Result	ts of PBT and vPvB a	ssessment
Results of F assessment		his product does not contain any substances classified as PBT or vPvB.
12.6. Other	adverse effects	
SECTION 1	3: Disposal considera	ations
13.1. Waste	e treatment methods	
Disposal me	ethods D	Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information		
14.1. UN number		
UN No. (ADR/RID)	1169	
UN No. (IMDG)	1169	
UN No. (ICAO)	1169	
UN No. (ADN)	1169	
14.2. UN proper shipping name	<u>e</u>	
Proper shipping name (ADR/RID)	EXTRACTS, AROMATIC, LIQUID	
Proper shipping name (IMDG)	EXTRACTS, AROMATIC, LIQUID (CONTAINS LIMONENE, p-MENTHA-1,3-DIENE (ALPHA-TERPINENE))	
Proper shipping name (ICAO)	EXTRACTS, AROMATIC, LIQUID	
Proper shipping name (ADN)	EXTRACTS, AROMATIC, LIQUID	
14.3. Transport hazard class(e	<u>es)</u>	
ADR/RID class	3	
ADR/RID classification code	F1	
ADR/RID label	3	
IMDG class	3	
ICAO class/division	3	
ADN class	3	
Transport labels		

14.4. Packing group	
ADR/RID packing group	Ш
IMDG packing group	Ш
ADN packing group	111
ICAO packing group	111

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



3/

14.6. Special precautions for user

EmS	F-E, S-D	
ADR transport category	3	
Emergency Action Code	3Y	
Hazard Identification Number (ADR/RID)	30	
Tunnel restriction code	(D/E)	
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	 Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Guidance	Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

SECTION	16	Other	information	

Key literature references and sources for data	European Chemicals Agency, http://echa.europa.eu/
Issued by	Regulatory Manager
Revision date	09/12/2015
Revision	0
Risk phrases in full	 R10 Flammable. R22 Harmful if swallowed. R36 Irritating to eyes. R36/38 Irritating to eyes and skin. R38 Irritating to skin. R40 Limited evidence of a carcinogenic effect. R43 May cause sensitisation by skin contact. R45 May cause cancer. R50 Very toxic to aquatic organisms. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed. R68 Possible risk of irreversible effects.

Hazard statements in full	 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H341 Suspected of causing genetic defects. H350 May cause cancer. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.